ECONOMICS
AND
STATISTICS
ADMINISTRATION

U.S. CENSUS BUREAU

U.S. CENSUS BUREAU For Data - (301) 763-4673 For Questions - Michael Davis, Joe Huesman or Linnet Holland (301) 763-1605 FOR RELEASE 10:00 AM EST, FRIDAY, JANUARY 3, 2003 CB03-01

NOVEMBER 2002 CONSTRUCTION AT \$843.2 BILLION ANNUAL RATE

Construction put in place during November 2002 was estimated at a seasonally adjusted annual rate of \$843.2 billion, 0.3 (±4.8) percent above the revised October estimate of \$840.5 billion, according to the U.S. Commerce Department's Census Bureau. The November figure is 0.8 (±4.8) percent above November 2001.

During the first 11 months of this year \$782.0 billion of construction was put in place, 0.3 (±1.6) percent above the \$780.0 billion for the same period in 2001.

In constant (1996) dollars, the November annual rate was \$684.3 billion, 0.1 (±4.8) percent above the revised estimate of \$684.0 billion for October.

PRIVATE CONSTRUCTION

Spending on new residential housing units was at a seasonally adjusted annual rate of \$303.4 billion in November, 1.5 (±1.6) percent above the revised October estimate of \$299.1 billion. Nonresidential building construction was at a rate of \$158.7 billion, 0.1 (±3.2) percent below the revised October estimate of \$158.9 billion.

PUBLIC CONSTRUCTION

In November, the estimated seasonally adjusted annual rate of public construction put in place was \$207.9 billion, 1.5 (±4.9) percent above the revised October estimate of \$204.9 billion.

December 2002 data will be released on February 3, 2003 at 10:00 AM EST.

EXPLANATORY NOTES

In interpreting changes in the statistics in this release, note that month-to-month changes in seasonally adjusted statistics often show movements which may be irregular. It may take 2 months to establish an underlying trend for total construction and as long as 8 months for specific categories of construction.

The statistics in this release are estimated from several sources and surveys and are subject to sampling variability as well as nonsampling errors including bias and variance from response, nonreporting, and undercoverage. Estimates of the standard errors are provided in Table 4 for selected types of construction. Whenever a statement such as "2.3 (±3.1) percent above" appears in the text, this indicates the range (-0.8 to +5.4 percent) in which the actual percent change is likely to have occurred. All ranges given are 90 percent confidence intervals. If the range contains zero, it is uncertain whether there was an increase or decrease; that is, the change was not statistically significant. For any comparison cited without a confidence interval, the change is statistically significant. Statistics for the current month are preliminary estimates subject to revision in following months as additional data become available. The average absolute percent changes from preliminary estimate to first revision for the major seasonally adjusted components are as follows: total construction, 0.5 percent; private construction, 0.6 percent; private residential construction, 0.5 percent; private nonresidential construction, 1.1 percent; and public construction, 1.4 percent.

More detailed data will appear in Current Construction Reports, C30/02-11, to be issued later this month. A discussion of sources and reliability of the data appears in Current Construction Reports, C30/02-5.

Our internet address is: http://www.census.gov/c30

NOTICE: Beginning August 1,2003, the current types of construction classifications and the constant dollar series will no longer be published. New monthly detailed types of construction will be presented. For further details see:

http://www.census.gov/const/C30/newtc.html

This press release is available the day of issue through the Commerce Department's on-line Economic Bulletin Board. For information, call (202) 482-1986.

Table 1. Value of Construction Put in Place in the United States, Seasonally Adjusted Annual Rate

[Billions of dollars. Detail may notadd to total due to rounding. Percent changes based on unrounded figures]

Type of construction									Percent change Nov 2002 from—	
	Nov ^p 2002	Oct ^r 2002	Sep ^r 2002	Aug 2002	Jul 2002	Jun 2002	May 2002	Nov - 2001	Oct 2002	Nov 2001
	'	<u> </u>		'	Currer	nt dollars	'	<u>'</u>		
Total construction	843.2	840.5	832.2	829.8	837.8	833.7	847.1	836.5	0.3	0.8
Private construction ¹	635.3	635.6	626.5	627.1	635.7	634.6	642.2	639.7	(Z)	- 0.7
Residential buildings ² New housing units	421.1 303.4	417.3 299.1	412.2 296.7	409.3 292.7	414.0 295.2	410.8 292.8	413.5 294.9	394.7 282.2	0.9 1.5	6.7 7.5
1 unit	271.3	267.1	263.8	259.3	261.8	260.0	260.5	250.1	1.6	8.4
2 units or more Nonresidential buildings	32.1 158.7	32.0 158.9	33.0 156.5	33.4 159.8	33.4 163.7	32.8 166.7	34.4 170.5	32.1 185.4	0.5 - 0.1	0.1 - 14.4
Industrial	13.5	13.7	13.8	14.6	15.8	16.7	16.6	22.5	- 1.4	- 39.7
Office	33.8 9.3	34.0 9.1	34.5 9.0	36.7 9.1	37.8 9.8	37.9 10.1	37.9 11.2	45.6 13.3	- 0.5 2.2	- 25.8 - 30.0
Other commercial	53.3	53.0	52.8	53.0	53.3	54.4	56.2	58.5	0.6	- 9.0
Religious	8.1 14.1	7.7 14.4	7.9 12.6	8.0 12.4	8.2 12.8	8.5 12.7	8.8 14.1	8.2 13.9	5.3 - 2.0	- 1.2 1.5
Hospital and institutional	18.6	18.8	18.0	17.4	17.7	17.8	17.1	14.5	- 0.9	28.8
Miscellaneous buildings Telecommunications	7.9 (NA)	8.2 16.3	8.0 15.2	8.6 16.4	8.3 17.3	8.7 18.4	8.6 17.3	8.9 17.1	- 3.5 (NA)	- 11.2 (NA)
All other private	2.5	2.5	2.6	2.6	2.3	3.0	3.0	3.0	- 2.4	- 17.8
Public construction	207.9	204.9	205.7	202.8	202.1	199.1	204.9	196.9	1.5	5.6
Housing and redevelopment Industrial	5.8 1.6	5.5 1.6	5.6 1.4	6.0 2.2	5.7 1.8	5.7 1.9	5.1 2.1	5.0 1.4	5.1 2.2	15.6 12.5
Educational	67.0	66.0	64.8	62.4	62.3	61.2	65.9	58.3	1.5	14.9
Hospital	5.1 31.2	4.9 30.8	5.3 30.6	5.1 30.6	4.8 30.2	4.7 31.1	4.8 30.6	4.1 31.4	4.5 1.3	23.9 - 0.6
Highways and streets	53.5	52.1	54.7	53.8	54.5	51.4	51.9	54.2	2.8	- 1.2
Military facilities	2.7 7.5	2.7 8.5	3.1 7.7	2.8 7.5	3.3 7.0	3.0 7.3	3.1 7.4	2.8 7.1	0.6 - 11.6	- 3.7 5.7
Sewer systems	9.1 7.0	9.1	9.2 7.4	9.5	9.5 7.0	9.4 7.6	9.8 7.6	9.2 7.4	0.5	- 1.1 - 5.0
Water supply facilities	17.3	7.2 16.5	15.8	7.1 15.7	15.9	16.0	16.8	15.8	- 3.0 4.5	9.0
	1996 dollars									
Total construction	684.3	684.0	679.6	680.0	687.7	682.0	696.0	691.5	0.1	- 1.0
Private construction ¹	514.2	516.3	511.1	513.4	520.8	518.6	526.6	526.9	- 0.4	- 2.4
Residential buildings ² New housing units	337.1 242.9	335.7 240.6	333.5 240.1	332.7 238.0	336.3 239.8	333.2 237.5	336.2 239.8	321.7 230.0	0.4 1.0	4.8 5.6
1 unit	217.2	214.9	213.4	210.9	212.7	210.9	211.8	203.9	1.1	6.5
2 units or more Nonresidential buildings	25.7 128.8	25.7 129.1	26.7 127.6	27.1 130.3	27.1 133.7	26.6 135.8	28.0 139.5	26.2 152.1	(Z) - 0.2	- 1.6 - 15.3
Industrial	11.0	11.2	11.2	11.9	12.9	13.6	13.6	18.4	- 1.5	- 40.3
Office	27.5 7.6	27.6 7.4	28.2 7.3	29.9 7.4	30.9 8.0	30.9 8.2	31.0 9.2	37.4 10.9	- 0.6 2.1	- 26.6 - 30.8
Other commercial	43.2	43.0	43.0	43.2	43.5	44.3	46.0	48.0	0.5	- 10.0
Religious	6.6 11.5	6.3 11.7	6.4 10.3	6.6 10.1	6.7 10.4	6.9 10.3	7.2 11.5	6.7 11.4	5.2 - 2.1	- 2.2 0.5
Hospital and institutional	15.1	15.3	14.6	14.2	14.4	14.5	14.0	11.9	- 1.0	27.5
Miscellaneous buildings Telecommunications	6.4 (NA)	6.7 15.2	6.5 14.2	7.0 15.2	6.8 16.3	7.1 17.0	7.0 16.1	7.3 16.0	- 3.6 (NA)	- 12.1 (NA)
All other private	2.1	2.1	2.2	2.2	2.0	2.5	2.5	2.6	- 2.1	- 20.4
Public construction	170.1 4.6	167.7 4.4	168.5 4.5	166.6 4.9	166.9 4.6	163.4 4.6	169.4 4.2	164.6 4.1	1.5 4.6	3.3 13.5
Industrial	1.3	1.3	1.1	1.8	1.5	1.5	1.7	1.2	2.2	11.3
Educational	54.4 4.2	53.6 4.0	52.8 4.3	50.9 4.2	50.9 3.9	49.8 3.8	53.9 3.9	47.9 3.4	1.4 4.5	13.7 22.6
Other public buildings	25.3	25.0	24.9	24.9	24.7	25.4	25.0	25.7	1.2	- 1.7
Highways and streets	43.4 2.2	42.1 2.2	44.2 2.5	43.7 2.3	44.8 2.7	41.7 2.4	42.5 2.5	45.3 2.4	3.0 0.6	- 4.4 - 5.8
Conservation and development	6.5	7.4	6.7	6.5	6.1	6.4	6.5	6.4	- 11.4	2.4
Sewer systems	7.9 5.8	7.9 6.0	7.9 6.1	8.3 5.8	8.3 5.8	8.1 6.3	8.6 6.3	8.3 6.3	0.8 - 2.8	- 4.2 - 8.2
Miscellaneous public	14.5	13.8	13.3	13.2	13.5	13.4	14.3	13.7	4.8	5.5

NA Not available.

PPreliminary.

rRevised.

Z Less than 0.05 percent.

¹Includes the following categories of private construction not shown separately: residential improvements, railroads, electric light and power, gas, petroleum pipelines, and farm nonresidential.

²Includes improvements.

Table 2. Value of Construction Put in Place in the United States, Not Seasonally Adjusted in Current Dollars

[Billions of dollars. Detail may not add to total due to rounding. Percent changes based on unrounded figures]

									Year to date		
Type of construction	Nov ^p 2002	Oct ^r 2002	Sep ^r 2002	Aug 2002	Jul 2002	Jun 2002	May 2002	Nov 2001	Nov 2002	Nov 2001	Percent change
Total construction	72.2	77.3	78.2	79.4	78.1	76.2	73.3	71.8	782.0	780.0	0.3
Private construction ¹	54.9	58.1	57.4	58.5	58.5	57.8	55.9	55.3	592.9	601.9	- 1.5
Residential buildings ² . New housing units. 1 unit. 2 units or more. Nonresidential buildings. Industrial. Office. Hotels, motels. Other commercial. Religious. Educational. Hospital and institutional. Miscellaneous buildings. Telecommunications. All other private.	36.6 26.4 23.7 2.7 13.5 1.2 2.8 0.8 4.6 0.7 1.1 1.6 0.7 (NA)	38.6 27.1 24.3 2.8 14.1 1.2 3.0 0.8 4.8 0.7 1.2 1.6 0.7	38.6 27.3 24.5 2.8 13.8 1.2 3.0 0.8 4.9 0.7 1.1 1.5 0.7 1.3	38.8 27.5 24.5 2.9 14.2 1.3 3.2 0.8 4.9 0.7 1.2 1.5 0.7	38.8 27.5 24.6 2.9 14.2 1.4 3.2 0.8 4.7 0.7 1.2 1.4 0.7 1.5	38.5 26.5 23.6 2.9 14.4 1.4 3.2 0.9 4.8 0.7 1.2 1.5 0.7	36.6 25.5 22.5 3.0 14.4 1.4 3.3 0.9 4.7 0.7 1.2 1.4 0.7 1.5 0.2	34.2 24.5 21.8 2.7 15.8 1.9 3.9 1.1 5.1 0.7 1.1 1.2 0.8 1.6 0.3	383.6 273.6 242.8 30.8 155.0 14.9 35.0 51.7 7.6 12.6 15.8 (NA) 2.6	360.5 258.8 230.7 28.1 186.4 27.1 48.5 13.4 55.8 7.6 11.6 13.9 8.5 17.0 2.7	6.4 5.7 5.2 9.6 - 16.9 - 24.9 - 28.8 - 7.3 (Z) 8.5 14.3 - 9.1 (NA) - 5.6
Public construction	17.2	19.2	20.8	20.9	19.5	18.4	17.4	16.5	189.2	178.1	6.2
Housing and redevelopment Industrial Educational Hospital Other public buildings Highways and streets Military facilities Conservation and development Sewer systems Water supply facilities Miscellaneous public	0.5 0.1 5.3 0.4 2.6 4.4 0.2 0.6 0.8 0.6 1.5	0.5 0.1 5.8 0.4 2.8 5.7 0.2 0.6 0.9 0.7	0.5 0.2 6.2 0.5 2.7 6.3 0.3 0.9 0.7	0.5 0.2 6.6 0.4 2.7 6.4 0.2 0.7 0.9 0.7	0.5 0.2 6.2 0.4 2.5 6.0 0.3 0.6 0.8 0.6	0.5 0.2 5.7 0.4 2.7 5.2 0.3 0.6 0.9 0.7	0.4 0.2 5.3 0.4 2.6 4.7 0.3 0.6 0.8 0.7	0.4 0.1 4.6 0.3 2.7 4.6 0.2 0.6 0.8 0.6	5.0 1.7 58.7 4.6 28.5 50.7 2.6 7.2 8.7 6.7	4.3 1.4 51.4 3.7 28.3 50.7 2.6 6.6 6.6 8.1 6.6 14.4	14.7 23.5 14.2 23.7 0.5 (Z) - 0.5 9.2 7.2 1.4 3.8

NA Not available.

PPreliminary.

rRevised.

Z Less than 0.05 percent.

¹Includes the following categories of private construction not shown separately: residential improvements, railroads, electric light and power, gas, petroleum pipelines, and farm nonresidential. ²Includes improvements.

Table 3. U.S. Census Bureau Composite Fixed-Weighted (1996 Weights) Price Index and Implicit Price Deflator

[1996 = 100]

Period	F	ixed-Weighted Inde	×	Implicit Price Deflator			
	2000	2001	2002	2000	2001	2002	
January February. March April May June July August September October November. December. Annual	113.3 113.7 114.0 114.5 114.8 115.1 115.8 116.1 116.5 116.8 117.2	117.8 118.3 118.7 118.8 119.2 119.7 119.6 119.9 120.2 120.9 121.1 121.5	121.5 121.5 121.3 121.2 121.6 122.2 121.9 122.2 122.6 123.1	113.3 113.8 113.9 114.6 114.9 115.1 115.6 115.8 115.9 116.4 116.7	117.9 118.3 118.6 118.7 119.0 119.5 119.4 119.7 120.0 120.8 121.0 121.2	121.2 121.2 121.3 121.3 121.7 122.3 121.8 122.1 122.5 122.9 P123.2	

Preliminary.

'Revised.

Note: The fixed-weighted price index is a weighted average of the individual price index series used to deflate the Value of Construction Put in Place (VIP) series. In calculating the index, the weights (the composition of current dollar VIP in 1996 by category of construction) are held constant. Consequently, the index reflects only changes in prices. The implicit price deflator is a derived ratio of total current to constant dollar VIP (multiplied by 100). It is the average of the individual price indexes used in the deflation of VIP, but the prices are weighted by the composition of VIP each period. As a result, the implicit price deflator reflects not only changes in prices, but also changes in the composition of VIP, and its use as a measure of price change is discouraged.

Table 4. Relative Standard Errors and Coefficients for Standard Errors of Changes

	Relative	e standard error (p	Coefficient for changes		
Type of construction	Monthly estimate	Year-to-date estimate	Annual estimate	Month-to-month change (k1)	Year-to-date change (k2)
Total construction	2	1	1	.03	.01
Private construction	3	1	1	.04	.02
Residential buildings New housing units 1 unit. 2 units or more	5 2 2 4	2 1 2 3	2 1 2 3	.06 .01 .01 .03	.03 .01 .01 .03
Nonresidential buildings Industrial Office Hotels, motels Other commercial Religious Educational Hospital and institutional Miscellaneous buildings	2 3 4 7 5 9 7 6 7	1 2 5 2 5 5 5 5	1 2 5 2 5 5 5 5	.02 .04 .05 .09 .06 .12 .10	.01 .03 .03 .07 .03 .07 .07 .07
Public construction	2	1	1	.03	.01
Housing and redevelopment Industrial Educational Hospital Other public buildings Highways and streets Military facilities Conservation and development. Sewer systems Water supply facilities Miscellaneous public	8 (NA) 3 6 3 4 (NA) 4 6 8	4 (NA) 2 4 2 2 (NA) 2 3 3 4	4 (NA) 2 4 2 2 (NA) 2 3 3 3	.11 (NA) .04 .08 .04 .05 (NA) .06 .08 .11	.06 (NA) .03 .06 .03 .03 (NA) .03 .04 .04

NA Not available.

Note: All statistics are based upon 2001 data. The coefficient (k1) for the month-to-month change is applicable to change from the previous month and change from the same month a year ago.

The standard errors (SE) for month-to-month and year-to-date changes may be approximated by the following formula with the appropriate coefficient shown in Table 4:

SE(change) = (k1 or k2) (100 + % change shown in table).

For example, suppose Table 1 showed that private 'office' construction increased 9 percent from last month. The standard error of the 9 percent increase is about equal to 5 percentage points:

SE(9% increase) = (.05)(100+9) = (.05)(109) = 5%

Once the standard error is available, one can construct a 90 percent confidence interval of the change by multiplying the standard error by 1.6. In the above example, an approximate 90 percent confidence interval of the 9 percent increase for private 'office' construction would be between:

1 and 17 percent (9% plus or minus 8% (5% x 1.6)).